

# Nonograms

A *Nonogram*, also known as a *Japanese puzzle* in some countries, is a kind of logic puzzle, where the goal is to draw a rectangular image that adheres to certain row and column constraints. Usually, the image is black-and-white, although Nonograms with more than two grey values exist as well.




Figure 1: A simple 4×5 Nonogram: a) original puzzle; b) partial solution (1 = black, 0 = white, x = yet unknown), after just using single line information; c) final solution (dots denote black pixels)

Fig. 1 shows an example of a Nonogram. The puzzle has a rectangular shape, which is subdivided in unit cells. We will also refer to these cells as *pixels*. For each row and each column, a *description* is given. The description indicates the length of the consecutive segments of black pixels along the corresponding line. For example, the description “1, 1” in the first row indicates that when traversing the pixels in that row from left to right, there should first be zero or more white pixels, followed by one black pixel. Then, at least one white pixel must occur, followed by exactly one black pixel. There may be additional white pixels at the end of the line. Note that the lengths are ordered, so a description “3, 2” means that first a block of 3 black pixels is encountered, and then one of 2 black pixels, separated by at least one white pixel. The symbol  $\epsilon$  denotes the empty description, leading to an all white line. The goal of the puzzle is to colour all pixels with either black or white, in such a way that each horizontal and vertical line is consistent with the given description.

As we shall see later, when using only information concerning single rows and columns, puzzles can often be solved partially (see the picture in the middle). For instance, one can infer that the middle pixel in the bottom row must be black. Using 2-satisfiability (2-SAT) rules we can completely solve this simple puzzle. More complicated, i.e., difficult, puzzles require more sophisticated techniques.

K. J. Batenburg, W. A. Kusters, A discrete tomography approach to Japanese puzzles. Proceedings 16th Belgium-Netherlands Conference on Artificial Intelligence (BNAIC), 243–250; 2004.

K. J. Batenburg, W. A. Kusters, A reasoning framework for solving Nonograms. Proceedings International Workshop on Combinatorial Image Analysis (IWCIA), LNCS 4958, 372–383; 2008.